Optics & Laser Technology

Index to Volume 34 (2002)

No 1 (February) pp 1–96
No 2 (March) pp 99–186
No 3 (April) pp 187–276
No 4 (June) pp 277–346
No 5 (July) pp 347–424
No 6 (September) pp 425–500
No 7 (October) pp 501–594
No 8 (November) pp 595–702

Article Index

Number 1

The Alvarez–Lohmann lens as a do-nothing machine
H.J. Caulfield 1

High-energy single pulse and multi-spike operation with a passive polymer Q-switch
V.I. Bezrodnyi and A.A. Ishchenko 7

Interferometric determination of refraction and dispersion of a birefringent material: numerical procedure
S.Y. El-Zaiat 15

Effect of polarization on the surface damage morphology of GaAs single crystal during irradiation with picosecond laser pulses
A.P. Singh, A. Kapoor, K.N. Tripathi and G.R. Kumar 23

A portable high-power diode laser-based single-stage ceramic tile grout sealing system
J. Lawrence, M.J.J. Schmidt, L. Li, R.E. Edwards and A.W. Gale 27

Laser damage studies of silicon surfaces using ultra-short laser pulses
A.P. Singh, A. Kapoor, K.N. Tripathi and G.R. Kumar 37

Diffusion studies in liquids by multiple beam interferometer
A. Anand, V.K. Chhaniwal, S. Mukherjee and C.S. Narayanamurthy 45

A new approach for noninvasive skin blood imaging in microcirculation
H. Zhao, R.H. Webb and B. Ortel 51

Nonlinear absorption and upconversion properties of two-photon absorption dye: ASPI
D. Wang, G. Zhou, X. Xu, X. Wang, Z. Liu, Y. Ren, Z. Shao and M. Jiang 55

Low-magnification particle positioning for 3D velocimetry applications
P.P. Sosa, D. Moreno, J.A. Guerrero and M. Funes-Gallanzi 59

Variational analysis of Er : Ti : $LiNbO_3$ waveguide lasers based on Gaussian/two-half Gaussian mode field distribution
D.-L. Zhang and B. Wu 69

General model to predict and correct errors in phase map interpretation and measurement for out-of-plane ESPI interferometers
H.J. Puga, R. Rodríguez-Vera and A. Martínez 81

Research Note

Direct measurement on transparent plates by using Fizeau interferometry
D. Bhattacharyya, A. Ray, B.K. Dutta and P.N. Ghosh 93

Number 2

Articles

Experimental investigations on energy-transfer characteristics and performance of some laser dye mixtures
R. Ghazy, S.A. Zim, M. Shaheen and F. El-Mekawey 99

An optical measurement of vortex shape at a free surface
Q.-C. Zhang and X.-Y. Su 107

Dynamic models relating processing parameters and melt track width during laser marking of clay tiles
A.A. Peligrad, E. Zhou, D. Morton and L. Li 115

Refractive index of standard oils as a function of wavelength and temperature
S.A. Khodier 125

Polarization and spatial-mode behavior of short-wavelength VCSELs
M.Y.A. Raja, A. Al-Dwayyan, Y. Cao and C.X. Wang 129

Real time estimation of CO_2 laser weld quality for automotive industry
Y.W. Park, H. Park and S. Rhee 135

Adaptive optics for airborne platforms — Part 1: modeling
M. Pachter and M.W. Oppenheimer 143

Adaptive optics for airborne platforms — Part 2: controller design
M.W. Oppenheimer and M. Pachter 159

Systematic tracking of boundary layer aerosols with laser radar
N.C. Parikh and J.A. Parikh 177

Number 3

Articles

Effect of concentration gradient on the first-, second- and third-order polarizabilities
W.-X. Xu 187

Beam quality considerations of high power Nd:YAG lasers
B.N. Upadhyaya, P. Misra, K. Ranganathan, S.C. Vishwakarma, H.N. Golghate, A. Choubey, N. Muthukumaran, R.K. Jain, G. Mundra and T.P.S. Nathan 193

Femtosecond pulsed laser ablation of thin gold film
K. Venkatakrishnan, B. Tan and B.K.A. Ngoi 199

Long pulse generation technology of solid-state laser adopting a new real time multi-discharge method
J.-H. Hong, K.-Y. Song, H.-J. Chung, J.-H. Jung, W.-Y. Kim, Uk Kang and H.-J. Kim 203

Calculation of the absorption coefficients of optical materials by measuring the transmissivities and refractive indices
C.H. Huang, G. Zhang, Z.Q. Chen, X.J. Huang and H.Y. Shen 209

A compact 1.06/1.32/2.94 μm pulsed laser for dentistry
G. Yoon, A.M. Zabaznov, V.B. Tsvetkov, H.S. Kim and I.A. Shcherbakov 213
Theoretical expression for change of extraordinary refractive index in annealed proton exchanged $LiNbO_3$ optical waveguides
G.K. Singh, A.P. Singh, V.K. Sharma, A. Kapoor and K.N. Tripathi 219
Theoretical analysis of 2D laser angle sensor and several design parameters
F. Xiaoyong and C. Maosheng 225
Optimization of three gas compositions in a CO_2 laser
C. Cheng, Y. Ma and S. He 231
LBO intracavity frequency doubled, Cr:YAG passively Q-switched Nd:YAG green laser
Z. Quan and Z. Ling 239
A new laser shadowgraphy method for measurements of dynamic contact angle and simultaneous flow visualization in a sessile drop
N. Zhang and D.F. Chao 243
Optical implementation of scale invariant fractional Fourier transform of continuously variable orders with a two-lens system
L.Z. Cai and Y.Q. Wang 249
An alternative approach to determine the fractional heat load in solid state laser materials: application to diode-pumped Nd : YVO_4 laser
P.K. Mukhopadhyay, J. George, K. Ranganathan, S.K. Sharma and T.P.S. Nathan 253
Low-frequency harmonic vibration analysis with temporal speckle pattern interferometry
X. Li and G. Tao 259
Model of a microwave beam coupling to CO_2 laser plasma
E.L. Caraway, M. Sokol and B.G. Grossman 265

Book reviews 273

Number 4

Articles

A right cut method of Brewster angle to reduce the reflection of laser frequency doubler
D. Shen, G. Shen, X. Wang and X. Wang 277
Research of spatial resolution in external electro-optic probing
H. Zhang, R. Wang, K. Chen, H. Yang, D. Zhang, M. Yi, G. Wang and Z. Ma 283
High-accuracy long distance alignment using single-mode optical fiber and phase plate
Q. Hao, D. Li and Y. Wang 287
Measurement of in-plane motions and rotations using a simple electronic speckle pattern interferometer
K.M. Abedin, M. Wahadoszamen and A.F.M.Y. Haider 293
A post-processing technique for extending depth of focus in conventional optical microscopy
T. Widjanarko and R.C. Hardie 299
Performance limitations of an optical heterodyne CPFSK transmission system due to self-phase modulation
B.C. Sarker and S.P. Majumder 307
Determination of exact rotation angle and discrimination for rotated images
K.M. Iftekharuddin, C. Rentala and A. Dani 313
Diode-pumped 671 nm laser frequency doubled by CPM LBO
Q. Zhang, H. Tan, L. Zhao and L. Qian 329
Continuous-wave diode-laser end-pumped Nd:YVO_4/KTP high-power solid-state green laser
J. Bai and G. Chen 333
Theoretical analysis of all-optical 2R regeneration in a SOA-based Mach–Zehnder interferometer
Y. Ye, X. Zheng, H. Zhang, X. Teng, K. Wu, X. Ma and Y. Guo 337
Actively Q-switched intracavity second-harmonic generation of 1.06 μm in BiB_3O_6 crystal
C. Du, B. Teng, Z. Wang, J. Liu, X. Xu, G. Xu, K. Fu, J. Wang, Y. Liu and Z. Shao 343

Number 5

Articles

Characteristics of a passively Q-switched Nd^{3+}:$NaY(WO_4)_2$ laser with Cr^{4+}:YAG saturable absorber
L. Chen, S. Zhao, J. Zheng, Z. Cheng and H. Chen 347
Loss in a rectangular optical waveguide induced by the crossover of a second waveguide
R.T. Deck, A.L. Sala, Y. Sikorski and B.G. Bagley 351
Experimental determination of effective stimulated emission cross-section in a diode pumped Nd : YVO_4 micro-laser at 1064 nm with various doping concentrations
P.K. Mukhopadhyay, J. George, S.K. Sharma, K. Ranganathan and T.P.S. Nathan 357
Dissipative optical bistability in a Fabry–Perot cavity
M.M. El-Nicklawy, A.F. Hassan, S.M.M. Salman and A. Abdel-Aty 363
A DVD pickup based on dual-wavelength integrated laser diode
W. Jiping and R. Yu 369
A novel calibration approach to structured light 3D vision inspection
G. Zhang and Z. Wei 373
Surface treatment with linearly polarized laser beam at oblique incidence
I. Gutu, C. Petre, I.N. Mihailescu, M. Taca, E. Alexandrescu and I. Ivanov 381
Design of an optical fiber sensor for linear thermal expansion measurement
H. Golnabi 389
Partially and fully cured thin film photoresist waveguides for integrated optics
G. Arun, V.K. Sharma, A. Kapoor and K.N. Tripathi 395
A simple electronic speckle shearing interferometer
W.O. Wong 399
A new data processing and calibration method for an eye-tracking device pronunciation system
C.-S. Lin, K.-C. Chang and Y.-J. Jain 405
Propagation of elliptical Gaussian beam through misaligned optical systems in spatial domain and spatial-frequency domain
Y. Cai and Q. Lin 415

Book review 423

Number 6

Articles

LD-pumped single-frequency passively Q-switched green laser
Q. Zhang, L. Zhao, Z.-Q. Ye and L.-S. Qian 425
Smart pixels in a focal-plane image compression system
H. Arima, M. Mori and T. Yatagai 429
Thermal lens determination of LD end-pumped solid-state laser with stable resonator by slit scanning method
J. Zheng, S. Zhao and L. Chen 439
Highly photostable laser solution and solid-state media based on mixed pyrromethene and coumarin
M. Ahmad, T.A. King, D.-K. Ko, B.H. Cha and J. Lee 445
External electro-optic sampling utilizing a poled polymer asymmetric Fabry–Perot cavity as an electro-optical probe tip
K. Chen, H. Zhang, D. Zhang, H. Yang and M. Yi 449
Adjustment of the coupling ratio by laser ablation of Ti:$LiNbO_3$ directional couplers
C.-C. Chen, H. Porte, J.-P. Goedgebuer, V. Armbruster and R. Ferriere 453
Phase unwrapping based on a parallel noise-immune algorithm
M.J. Huang and C.-J. Lai 457
Fiber optic distributed sensor for hydrocarbon leak localization based on transmission/reflection measurement
R.M. López, V.V. Spirin, S.V. Miridonov, M.G. Shlyagin, G. Beltrán and E.A. Kuzin 465

IR-poled second-harmonic generation in glass
J. Varga, Y. Szingvari and E. Ferenctchi 471
Design of a Franz–Keldysh effect electroabsorption waveguide modulator for millimetre-wave generation
M.S. Leeson 475
Flow structures around an inclined substrate subjected to a supersonic impinging jet in laser cutting
C.-C. Mai and J. Lin 479
Role of host liquid in optical limiting in ink suspensions
S.K. Tiwari, M.P. Joshi, M. Laghate and S.C. Mehendale 487
Analysis of the Al content in semiconductor materials by null ellipsometric spectrometry
J. Lian, Q. Wang, A. Wei, Y. Wang and P. Li 493
Lasing wavelength dependence of gain-clamped EDFA performance with different optical feedback schemes
T.C. Teyo, M.K. Leong and H. Ahmad 497

Number 7

Articles

Optical binary logic gate-based modified signed-digit arithmetic
R.S. Fyath, A.A.W. Alsaffar and M.S. Alam 501
Broad-band apochromatic retarders: choice of materials
P. Hariharan 509
Contours of constant Δ and Ψ in the ε_2–ε_4 plane for the ellipsometric functions
L. Ward 513
High longitudinal selectivity of shifting multiplexing in volume holograms
C.-C. Sun, Y.-N. Lin, S.-P. Yeh, W.-C. Su and Y. Ouyang 523
Characterizing Young's fringes' orientation and spacing by Fourier transform and Radon transform
Q. Kemao and A. Asundi 527
Ripples and grain formation in GaAs surfaces exposed to ultrashort laser pulses
A.P. Singh, A. Kapoor and K.N. Tripathi 533
Design of novel laser cavity with diffractive phase elements
J. Liu, G.-Z. Yang, B.-Z. Dong and B.-Y. Gu 541
Microscopic surface contouring by fringe projection method
C. Quan, C.J. Tay, X.Y. He, X. Kang and H.M. Shang 547
Resolution of the interference patterns of doubly exposed Gabor hologram
H.M. Hosny 553
Laser diagnostics of nanoscale dielectric films on absorbing substrate by differential reflectivity and ellipsometry
P. Adamson 561
Design of GaN convex diffractive microlenses
C.-C. Chen, J.-Y. Chang and G.-C. Chi 569
Sub-micron ablation of metallic thin film by femtosecond pulse laser
K. Venkatakrishnan, B. Tan and N.R. Sivakumar 575
Study on a Bessel–Gaussian beam laser
Y. Ma, Z. He and D. Liang 579
Design of polarization retarder suitable for nonlinear optical systems
S. Haidar, J. Shikata and H. Ito 585
Cr,Nd:YAG self-Q-switched laser with high efficiency output
J. Dong, P. Deng and M. Bass 589

Number 8

Articles

Polarization insensitive gain medium with hybrid strained quantum well
J. Yin, G. Du, S. Liu, Z. Liu, X. Wang, Z. Li, Z. Yin and S. Yang 595
Tunable multi-wavelength combined linear-cavity fiber laser source with equally changed wavelength spacing
J. Yang 599
Faraday rotation measurement with photorefractive $Bi_{12}TiO_{20}$
A. Anand and C.S. Narayanamurthy 605
The effect of microscopic features upon the transmissivity of enclosed laser ablated laminated metallised polymer films
R. Stewart, L. Li and R. Isherwood 613
Analytical modeling of loss characteristics of a polymer arrayed waveguide grating multiplexer
C.-S. Ma, W.-B. Guo, D.-M. Zhang, K.-X. Chen, Y. Zhao, F. Wang, Z.-C. Cui and S.-Y. Liu 621
Limitations of the Shack–Hartmann sensor for testing optical aspherics
M. Rocktäschel and H.J. Tiziani 631
Transient deformation of thin metal sheets during pulsed laser forming
K.-C. Lee and J. Lin 639
Pitch-variable transmission-type bulk gratings driven by shape memory alloy actuator
Y. Li, S. Jia, H. Wang, D. Chen and K. Hane 649
Talbot interferometry with an adaptive light intensity compensator
Q. Liu, P. Xie, T. Mishima and R. Ohba 655
A simple heterodyne frequency offset locking system for pulsed lasers
W. Lu, M. Gao, Q. Wang and T. Shang 661
Laboratory simulation of atmospheric turbulence-induced optical wavefront distortion
T.S. Taylor and D.A. Gregory 665
Interference of circularly polarized light: contrast and application in fabrication of three-dimensional periodic microstructures
L.Z. Cai and X.L. Yang 671
940 nm low beam divergence tapered window laser arrays
Y. Qu, B. Bo, X. Gao, G. Hu, X. Zhang and J. Shi 675
Fourier transform moiré tomography for high-sensitivity mapping asymmetric 3-D temperature field
M. Wang 679
A study on a fast measuring technique of wavefront using a Shack–Hartmann sensor
S.-K. Park, S.-H. Baik, C.-J. Kim and S.W. Ra 687
Diode-end-pumped solid-state ultraviolet laser based on intracavity third-harmonic generation of 1.06 μm in $YCa_4O(BO_3)_3$ crystal
C. Du, Z. Wang, G. Xu, J. Liu, X. Xu, K. Fu, J. Wang and Z. Shao 695
Continuous-wave and passively Q-switched $Nd:GdVO_4$ lasers at 1.06 μm end-pumped by laser-diode-array
C. Du, J. Liu, Z. Wang, G. Xu, X. Xu, K. Fu, X. Meng and Z. Shao 699

Author Index

Abdel-Aty A., 363
Abedin K. M., 293
Adamson P., 561
Ahmad H., 497
Ahmad M., 445
Al-Dwayyan A., 129
Alam M. S., 501
Alexandrescu E., 381
Alsaffar A. A. W., 501
Anand A., 45, 605
Arima H., 429
Armbruster V., 453
Arun G., 395
Asundi A., 527

Bagley B. G., 351
Bai J., 333
Baik S.-H., 687
Bass M., 589
Beltrán G., 465
Bezrodnyi V. I., 7
Bhattacharyya D., 93
Bo B., 675

Cai L. Z., 249, 671
Cai Y., 415
Cao Y., 129
Caraway E. L., 265
Caulfield H. J., 1
Cha B. H., 445
Chang J.-Y., 569
Chang K.-C., 405
Chao D. F., 243
Chen C.-C., 453, 569
Chen D., 649
Chen G., 333
Chen H., 347
Chen K., 283, 449
Chen K.-X., 621
Chen L., 347, 439
Chen Z. Q., 209
Cheng C., 231
Cheng Z., 347
Chhaniwal V. K., 45
Chi G.-C., 569
Choubey A., 193
Chung H.-J., 203
Cui Z.-C., 621

Dani A., 313
Deck R. T., 351
Deng P., 589
Dong B.-Z., 541
Dong J., 589
Du C., 343, 695, 699
Du G., 595
Dutta B. K., 93

Edwards R. E., 27
El-Mekawey F., 99
El-Nicklawy M. M., 363
El-Zaiat S. Y., 15

Ferenctchi E., 471
Ferriere R., 453
Fu K., 343, 695, 699
Funes-Gallanzi M., 59
Fyath R. S., 501

Gale A. W., 27
Gao M., 661
Gao X., 675
George J., 253, 357
Ghazy R., 99
Ghosh P. N., 93
Goedgebuer J.-P., 453
Golghate H. N., 193
Golnabi H., 389
Grattan K. T. V., 274
Gregory D. A., 665
Grossman B. G., 265
Gu B.-Y., 541
Guerrero J. A., 59
Guo W.-B., 621
Guo Y., 337
Gutu I., 381

Haidar S., 585
Haider A. F. M. Y., 293
Hane K., 649
Hao Q., 287
Hardie R. C., 299
Hariharan P., 509
Hassan A. F., 363
He S., 231
He X. Y., 547
He Z., 579
Hong J.-H., 203
Hosny H. M., 553
Hu G., 675
Huang C. H., 209
Huang M. J., 457
Huang X. J., 209

Iftekharuddin K. M., 313
Ishchenko A. A., 7
Isherwood R., 613
Ito H., 585
Ivanov I., 381

Jain R. K., 193
Jain Y.-J., 405
Jia S., 649
Jiang M., 55
Jiping W., 369
Joshi M. P., 487
Jung J.-H., 203

Kang M., 135
Kang U., 203
Kang X., 547
Kapoor A., 23, 37, 219, 395, 533
Kemao Q., 527
Khodier S. A., 125
Kim C. J., 687
Kim H. S., 213
Kim H.-J., 203
Kim W.-Y., 203
King T. A., 445
Ko D.-K., 445
Kumar G. R., 23, 37
Kuzin E. A., 465

Laghate M., 487
Lai C.-J., 457
Lawrence J., 27
Lee J., 445
Lee K.-C., 639
Leeson M.S., 475
Leong M. K., 497
Li D., 287
Li L., 27, 115, 613
Li P., 493
Li X., 259
Li Y., 649
Li Z., 595
Lian J., 493
Liang D., 579
Lin C.-S., 405
Lin J., 479, 639
Lin Q., 415
Lin Y.-N., 523
Ling Z., 239
Liu J., 343, 541, 695, 699
Liu Q., 655
Liu S., 595
Liu S.-Y., 621
Liu Y., 343
Liu Z., 55, 595
López R. M., 465
Lu W., 661

Ma C.-S., 621
Ma X., 337
Ma Y., 231, 579
Ma Z., 283
Mai C.-C., 479
Majumder S. P., 307
Maosheng C., 225
Martínez A., 81
Mehendale S. C., 487
Meng X., 699
Mihailescu I. N., 381
Miridonov S. V., 465
Mishima T., 655
Misra P., 193
Moreno D., 59
Mori M., 429
Morton D., 115
Mukherjee S., 45
Mukhopadhyay P. K., 253, 357
Mundra G., 193
Muthukumaran N., 193

Narayanamurthy C. S., 45, 605
Nathan T. P. S., 193, 253, 357
Ngoi B. K. A., 199

Ohba R., 655
Opower H., 273
Oppenheimer M. W., 143, 159
Ortel B., 51
Ouyang Y., 523

Pachter M., 143, 159
Parikh J. A., 177
Parikh N. C., 177
Park H., 135
Park S.-K., 687
Park Y. W., 135
Peligrad A. A., 115
Petre C., 381
Porte H., 453
Puga H. J., 81

Qian L., 329
Qian L.-S., 425
Qu Y., 675
Quan C., 547
Quan Z., 239

Ra S. W., 687
Raja M. Y. A., 129
Ranganathan K., 193, 253, 357
Ray A., 93
Ren Y., 55
Rentala C., 313
Rhee S., 135
Rocktäschel M., 631
Rodríguez-Vera R., 81

Sala A. L., 351
Salman S. M. M., 363
Sarker B. C., 307
Schmidt M. J. J., 27
Shaheen M., 99
Shang H. M., 547
Shang T., 661
Shao Z., 55, 343, 695, 699
Sharma S. K., 253, 357
Sharma V. K., 219, 395
Shcherbakov I. A., 213
Shen D., 277
Shen G., 277
Shen H. Y., 209
Shi J., 675
Shikata J., 585
Shlyagin M. G., 465
Sikorski Y., 351
Singh A. P., 23, 37, 219, 533
Singh G. K., 219
Sivakumar N. R., 575
Sokol M., 265
Song K.-Y., 203
Sosa P. P., 59
Spirin V. V., 465
Stewart R., 613
Su W.-C., 523
Su X.-Y., 107
Sun C.-C., 523
Szingvari Y., 471

Taca M., 381
Tan B., 199, 575
Tan H., 329
Tao G., 259
Tay C. J., 547
Taylor T. S., 665
Teng B., 343
Teng X., 337
Teyo T. C., 497
Tiwari S. K., 487
Tiziani H.J., 631
Tripathi K. N., 23, 37, 219, 395, 533
Tsvetkov V. B., 213

Upadhyaya B. N., 193

Varga J., 471
Venkatakrishnan K., 199, 575
Vishwakarma S. C., 193

Wahadoszamen M., 293
Wang C. X., 129
Wang D., 55
Wang F., 621
Wang G., 283
Wang H., 649
Wang J., 343, 695
Wang M., 679
Wang Q., 493, 661
Wang R., 283
Wang X., 55, 277, 277, 595
Wang Y. Q., 249
Wang Y., 287, 493
Wang Z., 343, 695, 699
Ward L., 513
Webb R. H., 51
Wei A., 493
Wei Z., 373
Widjanarko T., 299
Wong W. O., 399
Wood R. M., 423
Wu B., 69
Wu K., 337

Xiaoyong F., 225
Xie P., 655
Xu G., 343, 695, 699
Xu W.-X., 187
Xu X., 55, 343, 695, 699

Yang G.-Z., 541
Yang H., 283, 449
Yang J., 599
Yang S., 595
Yang X. L., 671
Yatagai T., 429
Ye Y., 337
Ye Z.-Q., 425
Yeh S.-P., 523
Yi M., 283, 449
Yin J., 595
Yin Z., 595
Yoon G., 213
Yu R., 369

Zabaznov A. M., 213
Zhan L., 425
Zhang D., 283, 449
Zhang D.-M., 621
Zhang G., 209, 373
Zhang H., 283, 337, 449
Zhang N., 243
Zhang Q., 425
Zhang Q.-C., 107
Zhang X., 675
Zhang, D.-L., 69
Zhao H., 51
Zhao L., 329
Zhao S., 347, 439
Zhao Y., 621
Zheng J., 347, 439
Zheng Q., 329
Zheng X., 337
Zhou E., 115
Zhou G., 55
Zim S. A., 99

Keyword Index

2R, 337

3D vision inspection, 373

Ablation, 37, 453, 575, 613
Absorption coefficient, 209
Achromatic, 509
Adaptive light intensity compensator, 655
Adaptive optics, 143, 159
Aerosols, 177
Alignment, 287
All-digital frequency discriminator, 661
All-solid-state, 333
Aluminium, 613
Anisoplanatism, 143
Arrayed waveguide grating, 621
Aspherics, 631
Atmospheric compensation, 143, 159
Auto-calibration algorithm, 405
Automatic target recognition (ATR), 313

BCS, 37
Beam delivery, 27
Beam parameter product, 193
Bent loss, 621
Bessel–Gaussian beam, 579
BIBO, 343
Binary coded MSD, 501
Birefringence, 15
Birefringent crystal, 585
Boson condensation, 533
Boundary layer, 177
Brewster angle, 277

Calibration point, 373
CD-R/RW, 369
Ceramic tiles, 27
Chirp, 337
Chromatic dispersion, 307
Clay tiles, 115
CO_2 laser, 231, 381
Compressive well, 595
Concentration gradient, 187
Confined, 613
Confocal microscope, 523
Contact angle, 243
Conversion efficiency, 55
Coumarin, 99, 120, 445
Cr^{4+} : YAG, 699
Critical phase-matching (CPM), 329
CrNd:YAG crystal, 589
Crossover loss, 351

Damage threshold, 23
Decoding mask, 501
Deep-RIE, 649
Defects, 533
Dentistry, 213
Depth of focus, 299
Dielectric gradient, 187
Difference frequency generation, 585
Differential reflectivity, 561
Diffraction loss, 621
Diffraction pattern, 59
Diffractive optical elements, 569
Diffractive phase element (DPE), 541
Diffusion coefficient, 45
Digital still camera, 293
Diode end-pumped, 333
Diode pumping, 253, 357
Directional couplers, 453
Dispersion, 15, 395
Distributed fiber optical sensor, 465
Do-nothing machine, 1
Dual-wavelength integrated laser diode, 369
DVD pickup, 369
Dye laser, 445
Dynamic liquid surface, 107
Dynamic models, 115

Edge detection, 313
Effective medium approximate, 493
Eigenmode, 541
Electro-optic effect, 449
Electronic speckle pattern interferometer, 293
Electronic speckle pattern interferometry, 399
Electronic speckle shearing interferometry, 399
Ellipsometric spectrum, 493
Ellipsometry, 513, 561
Elliptical Gaussian beam, 415
Enamel, 27
Enclosed, 613
End-pumped laser, 439
Energy-transfer characteristics, 99
Er : Ti : $LiNbO_3$ waveguide laser, 69
Erbium-doped fibre amplifier, 497
ESPI, 81
Estimated weighting factor, 687
External cavity diode laser, 93
External electro-optic probing, 283
Extinction ratio (ER), 337
Eye-tracking device, 405

Fabry–Perot cavity, 449
Faraday rotation, 605
Fast measurement of wavefront, 687
Feature extraction, 313
Femtosecond laser pulses, 37
Femtosecond pulse laser, 199
Femtosecond pulsed laser, 575
Fiber Bragg grating, 599
Fiber laser, 599
Fiber optic beam delivery, 193
Film, 613
Fizeau interferometer, 93
Flexible calibration target, 373
Flow visualization, 243
Focal plane processing, 429
Foil, 613
Fourier transform, 313, 527
Fourier transform moiré deflectometry, 679
Fourier transform profilometry, 107
Fractional Fourier transform, 249
Fractional heat load, 253
Franz–Keldysh electroabsorption, 475
Free-space, 579
Fringe contrast, 671
Fringe orientation, 527
Fringe projection, 547
Fringe spacing, 527
Fuzzy multi-feature pattern recognition, 135

GaAs, 533
Gain medium, 595
GaN, 569
Gaussian/two-half Gaussian mode field distribution, 69
Genetic algorithm, 231
Glaze, 27
Grain, 533
Green laser, 239, 333, 425
Grout, 27

Harmonic vibration, 259
Head mounted display, 405
Heterodyne signal, 661
High power, 675
High-power diode laser, 27
Hilbert transform, 313
Holography storage, 523
Hydrocarbon leak detection, 465

Image processing, 299, 313
Image sequence, 299
Improved BP neural network, 373
Inclined impinging jet, 479
Integrated optics, 453
Intensity modulation, 389
Interference, 671
Interferogram, 45
Intracavity second-harmonic generation, 343
IR-induced effects, 471

Lascr, 265, 613
Laser ablation, 199
Laser cavity, 541
Laser cutting, 479
Laser damage, 533
Laser frequency conversion, 277
Laser marking, 115
Laser phase noise, 307
Laser pulse, 487, 661
Laser radiation absorption, 381
Laser sensor, 225
Laser shadowgraphy, 243
Laser welding, 135
Lasing wavelength, 497
LBO, 329
LD-end-pumped, 699
LD-pumped, 239, 425
Least-squares fitting, 15
Lens system, 249
Lidar, 177
$LiNbO_3$ crystal, 585
$LiNbO_3$, 219

Linear interpolation, 493
Linear polarizer, 51
Liquid, 445
Liquid crystal on silicon (LCoS), 429
Long pulse, 203
Low beam divergence, 675

M^2 factor, 439
Mach–Zehnder, 337
Measurement of small rotations, 293
Medical laser, 213
Melt pool track, 115
Micro-component, 547
Microlenses, 569
Micromachining, 199
Microscopic surface contouring, 547
Microscopy, 299
Microstructure fabrication, 671
Microwave, 265, 449
Millimetre waves, 475
Mini-mirror, 51
Misaligned optical systems, 415
Mode loss, 541
Modified signed-digit, 501
MOEMS, 569
Molar refractive, 125
Multiple beam interferometer, 45
Multiplexer, 621
Multispike operation, 7

Nanoscale films, 561
Nd:$GdVO_4$, 699
Nd:NYW crystal, 347
Nd:YAG, 613
Nd:YAG laser, 193
Nd:YVO_4 crystal, 253
Nd:YVO_4/KTP, 333
Non-destructive testing, 399
Noninvasive diagnosis, 51
Nonlinear transmittance, 55
Numerical solution, 347

Offset-frequency locking, 661
Optical activity, 605
Optical data storage, 569
Optical diagnostics, 561
Optical fiber, 389
Optical free-space interconnections, 429
Optical limiting, 487
Optical logic gate, 501
Optical MEMS, 569
Optical poling, 471
Optical resonator, 193
Optical waveguides, 219
Optical-feedback, 497
Out-of-plane, 81

p-Bis(o-methylstyryl)-benzene, 99
p-Polarization, 23
Parallel phase retrieval, 457
Particle image velocimetry, 59
Particle position estimation, 59
Passive polymer Q-switch, 7
Passive Q-switch, 239, 347, 425
Passively Q-switched, 699
Path-independent algorithm, 457
Pattern recognition, 313
Phase changes on reflection/transmission, 513
Phase map interpretation, 81
Phase measurement, 259
Phase plate, 287
Phase shifting, 547
Phase unwrapping, 457
Photodiode, 135
Photonic crystals, 671
Photorefractive crystals, 523, 605
Photoresist, 395
Photostability and triplet states, 445
PIC one-chip microprocessor, 203
Pits, 23
Planar lightguide circuits, 351
Plane–plane cavity, 357
Plasma, 265
Plasma annealing, 37, 533
Polarizabilities, 187
Polarization behavior, 129
Polarization insensitivity, 595
Polarization, 509, 671
Poled polymer, 449
Polymer, 445, 613
Process identification, 115
Propagation, 415
Propagation loss, 621
Pulse shape, 203
Pulsed laser forming, 639
Pyrromethene, 445

Radon transform, 527
Rayleigh scattering, 465
Rectangular waveguides, 351
Red laser, 329
Reflectance, 513
Refractive index, 15, 93, 125, 209, 219
Regeneration, 337
Remote operation, 405
Retarders, 509, 585
Ridge-waveguide, 265
Ripples, 23, 533
RTMD (real time multi-discharge), 203

s-Polarization, 23
Safety, 27
Scaling invariance, 249
Second harmonic generation, 471
Self-phase modulation, 307
Self-Q-switched laser, 589
Semi-insulating GaP, 283
Semiconductor, 37
Semiconductor optical amplifier (SOA), 337
Sensitivity error, 81
Sensor, 389
Sensor design, 225
Shack–Hartmann sensor, 631, 687
Shadow-casting system, 501
Shifting sensitivity, 523
Shock wave, 479
Si, 37
Single frequency, 425
Single pulse generation, 7
Single-mode optical fiber, 287
Slit scanning method, 439
SMA actuator, 649
Solid, 445
Solid-state laser, 357
Spatial resolution, 283
Spatial-modes, 129
Specific rotation, 605
Standard oils, 125
Stimulated emission cross-section, 357
Straightness, 287
Strehl ratio, 159
Stress analysis, 639
Structured light, 373
Substrate leakage loss, 621
Sum-frequency mixing, 695
Superconductor, 37
Surface treatment, 381
Suspension, 487
Synthetic aperture radar (SAR) image, 313

Talbot interferometry, 655
Taper window laser array, 675
Temperature measurement, 679
Temporal speckle pattern interferometry, 259
Tensile well, 595
The content of aluminum, 493
Thermal expansion, 389
Thermal lens, 193, 253, 357, 439
Thermalization process, 37
Third-harmonic generation, 695
Three gas compositions, 231
Tomography, 679
Training and testing, 373
Transfer function, 115
Transient deformation, 639
Transmission line, 265
Transmission-type bulk grating, 649
Transmissivity, 209
Transmittance, 513
Tunable laser, 599
Tunnelling velocimetry, 59
Two-dimensional angle measurement, 225
Two-photon absorption, 55
Type-I phase-matching, 343

Ultrashort laser pulses, 533
Unparallel light pass surfaces, 277

Variable deflection angle prism, 1
Variable focal length lens, 1
Variable thickness plate, 1
Variational technique, 69
VCSEL's characteristics, 129
Visible spectrum, 125
Volume hologram, 523
Vortex shape measurement, 107

Wavefront measuring, 631
Waveguide, 395, 579
Waveguide modulator, 475
Weak moiré fringes, 655
Wedge angle, 93
White light interference, 15

YAG, 213
YCOB, 695

Zones of stability, 193